
# RUD∣瑞沃德




# Laser Speckle Imaging System

RWD LIFE SCIENCE CO., LTD

#### **III** Laser Speckle Imaging System

RFLSI ZW laser speckle imaging system is an even better tool for microcirculation research based on laser speckle contrast imaging technology (LSCI). With the advanced optical design and improved image processing algorithm, RFLSI ZW shows greater performance in imaging field size, image quality, full-field frame rate and optical resolution, and provides a powerful and efficient means for tissue microcirculation measurement.






# **B** Cerebral Blood Flow in Rats







# Middle Cerebral Artery Occlusion (MCAO) in Mice



## 🔊 Traumatic Brain Injury (TBI) in Mice






#### Baseline

Post-modeling-0.5h

# 🔤 Spinal Cord Injury(SCI) in Mice





and the Property of the Party o

#### Baseline

Post-modeling

### **Blood Flow in Cortex of Mice during Whisker Stimulation**







## 📧 Common Carotid Artery (CCA) in Mice

#### Ischemia


Reperfusion
















## Bone Tumours in Nude Mice







# 📧 Chick Embryo Chorioallantoic Membrane (CAM)

# **Radiofrequency Ablation (RFA)**











#### M Stroke




- The changes in the sham group and after photodynamic ablation of MLVs in the Visudyne+Laser group in the CBF.
- Figures are cited from Dan Zhu's Lab, *et al*. Huazhong University of Science and Technology, China.
- Dongyu Li, et al. Nature Communications, 2023, 14(1): 6104.

#### **B** Traumatic Brain Injury (TBI)




- Perfusion images of monitoring and quantifying the cerebral blood flow 3 days after mTBI in the mice.
- Figures are cited from Zhen Zhao's lab, et al. University of Southern California, USA.
- Yingxi Wu, et al. Acta neuropathologica communications, 2021, 9(1): 1-14.

#### **Alzheimer's Disease**




- Compare the surface of brain perfusion in 3 and 14 months old wildtype (WT; F344) and TgF344-AD (AD) rats by using laser speckle imaging system at different pressure.
- Figures are cited from Fan Fan's lab, *et al.* University of Mississippi Medical Center, USA.
- Xing Fang, et al. Geroscience, 2023 Jun;45(3):1471-1490.

#### **Brain-gut interaction**




- Related ROI proportions of mouse cecum blood flow between the sham group and MCAO group during sham and MCAO operations.
- Figures are cited from professor Jia Yin, *et al.* Zhujiang Hospital, Southern Medical University, China.
- Kaiyu Xu, et al. Gut. 2021, Feb 8:gutjnl-2020-323263.

#### 🖩 Flap survival




- The team developed a hydrogel patch (CN-Patch) capable of releasing CO/NO gas on demand, which can provide a blood supply to flap grafts during surgery. The images above show the blood perfusion in different treatments.
- Figures are cited from Junhu Zhang's lab, et al. Jilin University, China.
- Xiaoduo Tang, et al. Nature Communications, 2023, 14(1).

### Thrombosis



- The imaging of whole treatment process, including blood clot inducing process, swarm delivery process, and thrombolysis, which was captured by LSCI.
- Figures are cited from Li Zhang's lab, et al. Chinese University of Hong Kong, China.
- Ben Wang, et al. Sci Adv. 2024 Feb 2;10(5):eadk8970.


#### 🛍 Tumor




- Perfusion images of tumor blood perfusion and tumor vessels blood perfusion in LLC tumor-bearing nude mice after intratumoral injection of aspirin solution or hemocoagulase solution.
- Figures are cited from Jian You's lab, et al. Zhejiang University, China.
- Sijie Wang, *et al. Nano Today*, 2023, 50: 101870.

#### Micro/Nanorobots

#### Diabetes



- Photographs of real-time tracking and navigation of a microswarm in the femoral vein of the rat guided by LSCI.
- Figures are cited from Li Zhang's lab, et al. Chinese University of Hong Kong, China.
- Qinglong Wang, et al. Sci. Robot. 2024 Feb 21;9(87):eadh1978.



- Representative images of regional blood perfusion in sciatic nerve and foot pad tissues of Control, STZ and SP6616.
- Figures are cited from Xu Shen' s lab, *et al.* Nanjing University of Chinese Medicine, China.
- XiaLin Zhu, et al. EBioMedicine, 2020, 61: 103061.

#### Technical Parameters

Resolution	Max Camera Resolution: 2064x1544 pixels Best Resolution: 3.9 um/pixel
lmage	Flux/Gray/Intensity/Color/0verlay
Measurement Laser	785 nm
Indicating Laser	650 nmx2
FoCuS	Auto/Manual (fine focus)
Trigger	2xBNC
Image Size	0.57x 0.75-22.5x 30 cm <sup>2</sup>
Max Frame Rate	100 fps(full field)
Zoom	10x
Working Distance	10-40 cm,continuous
System Calibration	Calibration Box
Software	Acquisition Software and Analysis Software



Equipped with Trigger In/Out BNC interface, which can be linked with external devices.



Equipped with a calibration box and a calibration program. Self-service calibration can be performed at regular intervals.





Cross Arm Support

Universal Arm Support

#### nature neuroscience

NsMJ transmission drives NVC and open up a new avenue for studying stroke



Rapid gut dysbiosis induced by strokeexacerbates brain infarction in turn

# **Science** Robotics

Tracking and navigation of a microswarm under laser speckle contrast imaging for targeted delivery

BRAIN

Prolonged myelin deficits contribute to neuron loss and functional impairments after ischaemic stroke



14-3-3ζ-c-Src-integrin-β3 complex is vital for platelet activation



Association

Spatiotemporal Control of Vascular CaV1.2 by a 1C S1928 Phosphorylation



A Combination Therapy Using Electrical Stimulation and Adaptive, Conductive Hydrogels Loaded with Self-Assembled Nanogels Incorporating Short Interfering RNA Promotes the Repair of Diabetic Chronic Wounds

# **Science** Advances

tPA-anchored nanorobots for in vivo arterial recanalization at submillimeter-scale segments

# **BMC** Medicine

Exogenous mitochondrial transplantation improves survival and neurological outcomes after resuscitation from cardiac arrest



# RUD 瑞沃德

Established in 2002, RWD Life Science has been dedicated to being a leading manufacturer in research and veterinary equipments worldwide. We specialize in anesthesia, physiological and surgical equipments, which are used by pre clinical researchers and veterinarians. Our mission is to provide high quality products and integrated solutions to our customers with prompt and professional support.

For more information about our products, such as Laser Speckle Perfusion Imager, Anesthesia Machine, Ventilator, Stereotaxic Instrument, Syringe Pump, Cannula System and Surgical tools etc., please check our website:www.rwdstco.com

#### **RWD Life Science Co.,Ltd**

Add: 9/F, 19/F, 20/F, Building 7A, 9/F Building D, Shenzhen International Innovation Valley, XiLi Street, Dashi 1s' Road, Nanshan District, Shenzhen, Guangdong, China. **E-mail:** rwd@rwdstco.com

#### **RWD Life Science Inc.**

Add: 10410 Corporate Drive, Sugar Land, TX 77478, USA Tel: (858)900-5879 Support: service@rwdls.com Web: www.rwdstco.com